


BASED		ODE SECTIONS 10	005 1 AND 1015 2 1	
BASED	ON. BUILDING C			E EVITO
REQUIRED		PROVIDED	QUIRED NUMBER OF EXITS OVIDED REMARKS	
		-		
2* (LESS THAN 500* OCCUPANTS)		2 DINING ROOM ? KITCHEN	*EXIT DOORS ARE MARKED "EXIT". DINING HAS TWO SEPARATE EXITS AS REQUIRED FOR A2 W/ MORE THAN 50 OCCUPANTS	
	RE	QUIRED EX	IT DOOR SE	PARATION
REQUIRED		PROVIDED	REMARKS	
DINING ROOM DIAG. 82'-3" / 3 = 27'-5"		63'-9" @ MIN. SEPARATION	BUILDING EQUIPPED W/ FIRE SPRINKLER SYSTEM 63'-9" > 27'-5" OK	
	R	EQUIRED M	IN. EXIT DO	OR WIDTH
REQUIRED		PROVIDED	REMARKS	
30" CALCULATED 34" CLEAR PER ADA		144"	36" PRIMARY EXIT DOOR LEAFS	
		REQUIRED	EXIT AISLE	WIDTH
REQUIRED		PROVIDED	REMARKS	
44" & 36"		44" & 36"	PER SECTION 1025.9.1. MIN. EXIT AISLE WIDTH (W/ SEATING ON BOTH SIDES) IS 36" WHERE THE AISLE DOES NOT SERVE MORE THAN 50 SEATS. 44" WHERE AISLE SERVES MORE THAN 50 SEATS.	
		TABLE CH	HAIR TABUL	ATION
QTY	SEATS	SIZE	TOTAL SEATS	REMARKS
61	2	30"x24"	122	
0	4	44"x28"	0	
	6	68"x28"	0	
0	J			



KEY HAN

SCALE: N.T.S.

architecture 5825 Mariner Street Tampa, FL 33609 813.494.3567 architecture | eco certification interior design | industrial design

LUTTRELL ARCHITECTURE, LLC 5825 Mariner Street Tampa, Florida 33609 **USA** E: shaun@luttrellarchitecture.com T: 813.494.3567 W: www.luttrellarchitecture.com License No.AR95921

Project | Tenant Information:

Garden Grill Renovation at: Lowry Park Zoo

1101 W Sligh Avenue Tampa, FL 33604

Additional Information:

Parcel ID:

####

Tax District: City of Tampa

Consultant Information:

PHASE ISSUED DRAWINGS: 1 12.19.2018 Furniture Layout 2 01.22.2019 Furniture Layout

REVISED DRAWINGS: No. Date Revision Description

AR0095921 Shaun M. Luttrell Project Number: 19-001

Professional Seal:

PROPOSED DRY CLEANING EQUIPMENT REPLACEMENTS

Original size is 24"x36". Copy Reductions N.T.S. Sheet Number:

Intellectual property rights reserved 2019